

A CHOICE OF SECURITY.



GO—
SECURITYDOOR

WHITE

GO WHITE DOOR WITH DOUBLE BIT LOCK.



CRETA FITTING



BRASS




BRONZE



SILVER


Go White model door with Ral 9010 White Lacquered blank external panel. Silver Creta fittings in. Wide angle spy-hole, "cut-resistant" clip trim.

VERTICAL SECTION




TECHNICAL DETAILS OF REDUCED FRAME AND SUB-FRAME

HORIZONTAL SECTION




VERTICAL SECTION



TECHNICAL DETAILS OF REDUCED FRAME AND SUB-FRAME

HORIZONTAL SECTION



THE EVOLUTION OF PROTECTION.

Go is the maximum evolution in security doors, which today is available to you. The quality of the materials, the innovation of the technology and patents, the international certification guarantee, make Go the solid assurance that you can be sure to count on. Forever. GO's internal structure is constructed of single sheet galvanised steel with vertical reinforcing ribs and is equipped with a Block type deviator. The Go doors are certified burglar-proof in class 2 in compliance with the ENV 1627 European standard. The double bit locks put their trust in the international patent MIA, which allows endless substitutions of the key without having to change the lock. Simply replace the standard neutral block with another that is supplied with a new set of keys.

All models can be personalised with these finish panels:

STAINED CHERRY WOOD C1



BEECH F1



LACQUERED RAL 9010 WHITE



MEDIUM MAHOGANY M1



LIGHT WALNUT NA



ESCUTCHEON EXAMPLES



1. AGAIN WITH THE EXTRACTOR, INSERT THE FINAL BLOCK AND SECURE IT WITH THE TWO SCREWS.



2. REMOVE THE PLASTIC COVER.



3. WITH A SCREWDRIVER, UNSCREW THE TWO SCREWS THAT HOLD THE NEUTRAL BLOCK.



4. OPEN THE BOX THAT CONTAINS THE PERSONALISED BLOCK AND KEYS. REMOVE THE NEUTRAL BLOCK WITH THE EXTRACTOR FOUND INSIDE THE BOX

NATURAL OAK R1



LIGHT TANGANYIKA T2



MEDIUM TANGANYIKA T4



NATURAL TANGANYIKA T3



